

## §5.1 Polynomial Functions and Models

A polynomial function is a function of the form

$$f(x) = a_n x^n + a_{n-1} x^{n-1} + \dots + a_2 x^2 + a_1 x + a_0$$

where  $a_n, a_{n-1}, \dots, a_1, a_0$  are real numbers and  $n$  is a nonnegative integer.

Determine which of the following are polynomial functions. For those that are, state the degree; for those that are not, tell why not.

(a)  $f(x) = 2 - 3x^4$

(b)  $g(x) = \sqrt{x}$

(c)  $h(x) = \frac{x^2 - 2}{x^3 - 1}$


(d)  $F(x) = 0$

(e)  $G(x) = 8$


(f)  $H(x) = -2x^3(x - 1)^2$

# Summary of the Properties of the Graphs of Polynomial Functions

Degree	Form	Name	Graph
No degree	$f(x) = 0$	Zero function	The x-axis
0	$f(x) = a_0, a_0 \neq 0$	Constant function	Horizontal line with y-intercept $a_0$
1	$f(x) = a_1x + a_0, a_1 \neq 0$	Linear function	Nonvertical, nonhorizontal line with slope $a_1$ and y-intercept $a_0$
2	$f(x) = a_2x^2 + a_1x + a_0, a_2 \neq 0$	Quadratic function	Parabola: Graph opens up if $a_2 > 0$ ; graph opens down if $a_2 < 0$











(a) Graph of a polynomial function: smooth, continuous



(b) Cannot be the graph of a polynomial function

Polynomials are **continuous** (no breaks in the graph) and **smooth** (no sharp angles, only rounded curves)

**Graphing Functions of the Form:  $P(x) = ax^n$**

$P(x) = x^3$ 	$P(x) = x^5$ 	$P(x) = x^4$ 	$P(x) = x^6$ 
			
$P(x) = \frac{1}{3}x^3$	$P(x) = 8x^5$	$P(x) = \frac{1}{8}x^4$	$P(x) = 9x^6$

## **Examining Vertical and Horizontal Translations (Shifts):**

Example 1: Graph

a.)  $y = -(x + 2)^4 + 6$

b.)  $y = -3 - (x - 1)^3$

## **Finding a polynomial from its Zeros:**

Example Find a polynomial of degree 3 whose zeros are -4, -2, and 3.

# Identifying Zeros and Their Multiplicities

For the polynomial, list all zeros and their multiplicities.

$$f(x) = -2(x-2)(x+1)^3(x-3)^4$$

## If $r$ Is a Zero of Even Multiplicity

Sign of  $f(x)$  does not change from one side of  $r$  to the other side of  $r$ .

Graph **touches**  $x$ -axis at  $r$ .

## If $r$ Is a Zero of Odd Multiplicity

Sign of  $f(x)$  changes from one side of  $r$  to the other side of  $r$ .

Graph **crosses**  $x$ -axis at  $r$ .

## Theorem

### Turning Points

If  $f$  is a polynomial function of degree  $n$ , then  $f$  has at most  $n - 1$  turning points.

If the graph of a polynomial function  $f$  has  $n - 1$  turning points, the degree of  $f$  is at least  $n$ .

## Example Graphing a Polynomial using x-intercepts

For the polynomial:  $f(x) = x^2(x - 2)$

- Find the  $x$ - and  $y$ -intercepts of the graph of  $f$ .
- Use the  $x$ -intercepts to find the intervals on which the graph of  $f$  is above the  $x$ -axis and the intervals on which the graph of  $f$  is below the  $x$ -axis.
- Locate other points on the graph and connect all the points plotted with a smooth, continuous curve.

	0	2	$x$
<b>Interval</b>	$(-\infty, 0)$	$(0, 2)$	$(2, \infty)$
<b>Number Chosen</b>	-1	1	3
<b>Value of <math>f</math></b>	$f(-1) = -3$	$f(1) = -1$	$f(3) = 9$
<b>Location of Graph</b>	Below $x$ -axis	Below $x$ -axis	Above $x$ -axis
<b>Point on Graph</b>	$(-1, -3)$	$(1, -1)$	$(3, 9)$